

$a_2(1320)$ $I^G(J^{PC}) = 1^-(2^{++})$ **$a_2(1320)$ MASS**VALUE (MeV)DOCUMENT ID**1318.2±0.6 OUR AVERAGE** Includes data from the 4 datablocks that follow this one.

Error includes scale factor of 1.2.

3 π MODEVALUE (MeV)EVTSDOCUMENT IDTECNCHGCOMMENT

The data in this block is included in the average printed for a previous datablock.

1318.6± 1.3 OUR AVERAGE Error includes scale factor of 1.4. See the ideogram below.


1314.5 $^{+4.0}_{-3.3}$	46M	¹ AGHASYAN	18B	COMP	190 $\pi^- p \rightarrow \pi^- \pi^+ \pi^- p$
1326 ± 2 ± 2		CHUNG	02	B852	18.3 $\pi^- p \rightarrow \pi^+ \pi^- \pi^- p$
1317 ± 3		BARBERIS	98B		450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
1323 ± 4 ± 3		ACCIARRI	97T	L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1320 ± 7		ALBRECHT	97B	ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1311.3 $\pm 1.6\pm 3.0$	72.4k	AMELIN	96	VES	36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
1310 ± 5		ARMSTRONG	90	OMEG 0	300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$
1323.8 ± 2.3	4022	AUGUSTIN	89	DM2	$\pm J/\psi \rightarrow \rho^\pm a_2^\mp$
1320.6 ± 3.1	3562	AUGUSTIN	89	DM2	0 $J/\psi \rightarrow \rho^0 a_2^0$
1317 ± 2	25k	² DAUM	80C	SPEC	— 63,94 $\pi^- p \rightarrow 3\pi p$
1320 ± 10	1097	² BALTAY	78B	HBC	+0 15 $\pi^+ p \rightarrow p 4\pi$
1306 ± 8		FERRERSORIA	78	OMEG	— 9 $\pi^- p \rightarrow p 3\pi$
1318 ± 7	1.6k	² EMMS	75	DBC	0 4 $\pi^+ n \rightarrow p (3\pi)^0$
1315 ± 5		² ANTIPOV	73C	CNTR	— 25,40 $\pi^- p \rightarrow p \eta \pi^-$
1306 ± 9	1580	CHALOUPKA	73	HBC	— 3.9 $\pi^- p$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1321 ± 1 $^{+0}_{-7}$	420k	³ ALEKSEEV	10	COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
1300 ± 2 ± 4	18k	⁴ SCHEGELSKY	06	RVUE 0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
1305 ± 14		CONDO	93	SHF	$\gamma p \rightarrow n \pi^+ \pi^+ \pi^-$
1310 ± 2		² EVANGELIS...	81	OMEG	— 12 $\pi^- p \rightarrow 3\pi p$
1343 ± 11	490	BALTAY	78B	HBC	0 15 $\pi^+ p \rightarrow \Delta 3\pi$
1309 ± 5	5k	BINNIE	71	MMS	— $\pi^- p$ near a_2 thresh-old
1299 ± 6	28k	BOWEN	71	MMS	— 5 $\pi^- p$
1300 ± 6	24k	BOWEN	71	MMS	+ 5 $\pi^+ p$
1309 ± 4	17k	BOWEN	71	MMS	— 7 $\pi^- p$
1306 ± 4	941	ALSTON-...	70	HBC	+ 7.0 $\pi^+ p \rightarrow 3\pi p$

¹ Statistical error negligible.

² From a fit to $J^P = 2^+$ $\rho\pi$ partial wave.

³ Superseded by AGHASYAN 2018B.

⁴ From analysis of L3 data at 183–209 GeV.



KK MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

1318.1± 0.7 OUR AVERAGE

1319	± 5	4700	^{1,2} CLELAND	82B	SPEC	+	50 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324	± 6	5200	^{1,2} CLELAND	82B	SPEC	-	50 $\pi^- p \rightarrow K_S^0 K^- p$
1320	± 2	4000	CHABAUD	80	SPEC	-	17 $\pi^- A \rightarrow K_S^0 K^- A$
1312	± 4	11000	CHABAUD	78	SPEC	-	9.8 $\pi^- p \rightarrow K^- K_S^0 p$
1316	± 2	4730	CHABAUD	78	SPEC	-	18.8 $\pi^- p \rightarrow K^- K_S^0 p$
1318	± 1		^{1,3} MARTIN	78D	SPEC	-	10 $\pi^- p \rightarrow K_S^0 K^- p$
1320	± 2	2724	MARGULIE	76	SPEC	-	23 $\pi^- p \rightarrow K^- K_S^0 p$
1313	± 4	730	FOLEY	72	CNTR	-	20.3 $\pi^- p \rightarrow K^- K_S^0 p$
1319	± 3	1500	³ GRAYER	71	ASPK	-	17.2 $\pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1304	± 10	870	⁴ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
1330	± 11	1000	^{1,2} CLELAND	82B	SPEC	+	30 $\pi^+ p \rightarrow K_S^0 K^+ p$
1324	± 5	350	HYAMS	78	ASPK	+	12.7 $\pi^+ p \rightarrow K^+ K_S^0 p$

¹ From a fit to $J^P = 2^+$ partial wave.

² Number of events evaluated by us.

³ Systematic error in mass scale subtracted.

⁴ From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

1317.7 ± 1.4 OUR AVERAGE

1308 ± 9		BARBERIS	00H		$450 pp \rightarrow p_f \eta \pi^0 p_s$
1316 ± 9		BARBERIS	00H		$450 pp \rightarrow \Delta_f^{++} \eta \pi^- p_s$
1317 ± 1 ± 2		THOMPSON	97 MPS		$18 \pi^- p \rightarrow \eta \pi^- p$
1315 ± 5 ± 2	1	AMSLER	94D CBAR		$0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \eta$
1325.1 ± 5.1		AOYAGI	93 BKEI		$\pi^- p \rightarrow \eta \pi^- p$
1317.7 ± 1.4 ± 2.0		BELADIDZE	93 VES		$37\pi^- N \rightarrow \eta \pi^- N$
1323 ± 8 1000	2	KEY	73 OSPK	-	$6 \pi^- p \rightarrow p \pi^- \eta$
• • • We do not use the following data for averages, fits, limits, etc. • • •					
1312.5 ± 0.7 ± 2.6		3 ALBRECHT	20 RVUE		$0.9 \bar{p}p \rightarrow \pi^0 \pi^0 \eta, \pi^0 \eta \eta, \pi^0 K^+ K^-$
1306.0 ± 0.8 ± 1.3		4 RODAS	19 JPAC		$191 \pi^- p \rightarrow \eta^{(1)} \pi^- p$
1307 ± 1 ± 6	5	JACKURA	18 JPAC		$\pi^- p \rightarrow \eta \pi^- p$
1315 ± 12	6	ADOLPH	15 COMP		$191 \pi^- p \rightarrow \eta^{(1)} \pi^- p$
1309 ± 4		ANISOVICH	09 RVUE		$\bar{p}p, \pi N$
1324 ± 5		ARMSTRONG	93C E760 0		$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
1336.2 ± 1.7 2561		DELFOSSE	81 SPEC +		$\pi^\pm p \rightarrow p \pi^\pm \eta$
1330.7 ± 2.4 1653		DELFOSSE	81 SPEC -		$\pi^\pm p \rightarrow p \pi^\pm \eta$
1324 ± 8 6200	2,7	CONFORTO	73 OSPK	-	$6 \pi^- p \rightarrow p MM^-$

¹ The systematic error of 2 MeV corresponds to the spread of solutions.² Error includes 5 MeV systematic mass-scale error.³ T-matrix pole with 2 poles, 2 channels ($\pi^0 \eta$ and $K\bar{K}$).⁴ The coupled-channel analysis of both the $\eta\pi$ and $\eta'\pi$ systems using ADOLPH 15 data.
The mass is extracted from the T-matrix pole.⁵ Superseded by RODAS 19.⁶ ADOLPH 15 value is derived from a Breit-Wigner fit with mass-dependent width taking
the $\eta\pi$ and $\rho\pi$ channels into account.⁷ Missing mass with enriched MMS = $\eta\pi^-$, $\eta = 2\gamma$. **$\eta'\pi$ MODE**

VALUE (MeV)		DOCUMENT ID	TECN	COMMENT
The data in this block is included in the average printed for a previous datablock.				

1322 ± 7 OUR AVERAGE

1318 ± 8 +3 -5		IVANOV	01 B852	$18 \pi^- p \rightarrow \eta' \pi^- p$
1327.0 ± 10.7		BELADIDZE	93 VES	$37\pi^- N \rightarrow \eta' \pi^- N$

 $a_2(1320)$ WIDTH **3π MODE**

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
105.0 ± 1.7 OUR AVERAGE					

106.6 ± 3.4 -7.0	46M	1 AGHASYAN	18B COMP		$190 \pi^- p \rightarrow \pi^- \pi^+ \pi^- p$
108 ± 3 ± 15		CHUNG	02 B852		$18.3 \pi^- p \rightarrow \pi^+ \pi^- \pi^- p$

120	± 10	BARBERIS	98B	450 $p p \rightarrow p_f \pi^+ \pi^- \pi^0 p_s$
105	± 10	ACCIARRI	97T L3	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
120	± 10	ALBRECHT	97B ARG	$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
103.0 \pm 6.0 \pm 3.3	72.4k	AMELIN	96 VES	36 $\pi^- p \rightarrow \pi^+ \pi^- \pi^0 n$
120	± 10	ARMSTRONG	90 OMEG 0	300.0 $p p \rightarrow p p \pi^+ \pi^- \pi^0$
107.0 \pm 9.7	4022	AUGUSTIN	89 DM2 \pm	$J/\psi \rightarrow \rho^\pm a_2^\mp$
118.5 \pm 12.5	3562	AUGUSTIN	89 DM2 0	$J/\psi \rightarrow \rho^0 a_2^0$
97	± 5	2 EVANGELIS...	81 OMEG -	12 $\pi^- p \rightarrow 3\pi p$
96	± 9	2 DAUM	80C SPEC -	63, 94 $\pi^- p \rightarrow 3\pi p$
110	± 15	2 BALTAY	78B HBC +0	15 $\pi^+ p \rightarrow p 4\pi$
112	± 18	2 EMMS	75 DBC 0	4 $\pi^+ n \rightarrow p(3\pi)^0$
122	± 14	2,3 WAGNER	75 HBC 0	7 $\pi^+ p \rightarrow \Delta^{++}(3\pi)^0$
115	± 15	2 ANTIPOV	73C CNTR -	25, 40 $\pi^- p \rightarrow p \eta \pi^-$
99	± 15	CHALOUPKA	73 HBC -	3.9 $\pi^- p$
105	± 5	BOWEN	71 MMS -	5 $\pi^- p$
99	± 5	BOWEN	71 MMS +	5 $\pi^+ p$
103	± 5	BOWEN	71 MMS -	7 $\pi^- p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

110	± 2	$^{+2}_{-15}$	420k	⁴ ALEKSEEV	10 COMP	190 $\pi^- Pb \rightarrow \pi^- \pi^- \pi^+ Pb'$
117	± 6	± 20	18k	⁵ SCHEGELSKY	06 RVUE 0	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$
120	± 40			CONDO	93 SHF	$\gamma p \rightarrow n \pi^+ \pi^+ \pi^-$
115	± 14		490	BALTAY	78B HBC 0	15 $\pi^+ p \rightarrow \Delta 3\pi$
72	± 16		5k	BINNIE	71 MMS -	$\pi^- p$ near a_2 thresh-old
79	± 12		941	ALSTON-...	70 HBC +	7.0 $\pi^+ p \rightarrow 3\pi p$

¹ Statistical error negligible.

² From a fit to $J^P = 2^+ \rho\pi$ partial wave.

³ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

⁴ Superseded by AGHASYAN 2018B.

⁵ From analysis of L3 data at 183–209 GeV.

$K\bar{K}$ AND $\eta\pi$ MODES

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
107 ± 5 OUR ESTIMATE					
110.4 ± 1.7 OUR AVERAGE					Includes data from the 2 datablocks that follow this one.

$K\bar{K}$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

109.8 \pm 2.4 OUR AVERAGE

112	± 20	4700	^{1,2} CLELAND	82B SPEC +	50 $\pi^+ p \rightarrow K_S^0 K^+ p$
120	± 25	5200	^{1,2} CLELAND	82B SPEC -	50 $\pi^- p \rightarrow K_S^0 K^- p$

106	± 4	4000	CHABAUD	80	SPEC	—	17 $\pi^- A \rightarrow K_S^0 K^- A$
126	± 11	11000	CHABAUD	78	SPEC	—	9.8 $\pi^- p \rightarrow K^- K_S^0 p$
101	± 8	4730	CHABAUD	78	SPEC	—	18.8 $\pi^- p \rightarrow K^- K_S^0 p$
113	± 4	1, ³ MARTIN	78D	SPEC	—	10 $\pi^- p \rightarrow K_S^0 K^- p$	
105	± 8						23 $\pi^- p \rightarrow K^- K_S^0 p$
113	± 19	730	FOLEY	72	CNTR	—	20.3 $\pi^- p \rightarrow K^- K_S^0 p$
123	± 13	1500	³ GRAYER	71	ASPK	—	17.2 $\pi^- p \rightarrow K^- K_S^0 p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

120	± 15	870	⁴ SCHEGELSKY	06A	RVUE	0	$\gamma\gamma \rightarrow K_S^0 K_S^0$
121	± 51	1000	^{1,2} CLELAND	82B	SPEC	+	30 $\pi^+ p \rightarrow K_S^0 K^+ p$
110	± 18	350	HYAMS	78	ASPK	+	12.7 $\pi^+ p \rightarrow K^+ K_S^0 p$

¹ From a fit to $J^P = 2^+$ partial wave.

² Number of events evaluated by us.

³ Width errors enlarged by us to $4\Gamma/\sqrt{N}$; see the note with the $K^*(892)$ mass.

⁴ From analysis of L3 data at 91 and 183–209 GeV.

$\eta\pi$ MODE

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
The data in this block is included in the average printed for a previous datablock.					

111.1 \pm 2.4 OUR AVERAGE

115	± 20		BARBERIS	00H		450 $pp \rightarrow p_f \eta \pi^0 p_s$
112	± 14		BARBERIS	00H		450 $pp \rightarrow \Delta_f^{++} \eta \pi^- p_s$
112	± 3	± 2	¹ AMSLER	94D	CBAR	0.0 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta$
103	± 6	± 3	BELADIDZE	93	VES	$37\pi^- N \rightarrow \eta \pi^- N$
112.2 \pm 5.7	2561		DELFOSSÉ	81	SPEC	$+\pi^\pm p \rightarrow p \pi^\pm \eta$
116.6 \pm 7.7	1653		DELFOSSÉ	81	SPEC	$-\pi^\pm p \rightarrow p \pi^\pm \eta$
108	± 9	1000	KEY	73	OSPK	$-6\pi^- p \rightarrow p \pi^- \eta$

• • • We do not use the following data for averages, fits, limits, etc. • • •

106.9 \pm 1.2 \pm 3.7		² ALBRECHT	20	RVUE	0.9 $\bar{p}p \rightarrow \pi^0 \pi^0 \eta, \pi^0 \eta \eta, \pi^0 K^+ K^-$	
114.4 \pm 1.6 \pm 0.0		³ RODAS	19	JPAC	$191\pi^- p \rightarrow \eta^{(1)} \pi^- p$	
112	± 1	± 8	⁴ JACKURA	18	JPAC	$\pi^- p \rightarrow \eta \pi^- p$
119	± 14		⁵ ADOLPH	15	COMP	$191\pi^- p \rightarrow \eta^{(1)} \pi^- p$
110	± 4		ANISOVICH	09	RVUE	$\bar{p}p, \pi N$
127	± 2	± 2	⁶ THOMPSON	97	MPS	$18\pi^- p \rightarrow \eta \pi^- p$
118	± 10		ARMSTRONG	93C	E760 0	$\bar{p}p \rightarrow \pi^0 \eta \eta \rightarrow 6\gamma$
104	± 9	6200	⁷ CONFORTO	73	OSPK	$-6\pi^- p \rightarrow p MM^-$

¹ The systematic error of 2 MeV corresponds to the spread of solutions.

² T-matrix pole with 2 poles, 2 channels ($\pi^0 \eta$ and $K\bar{K}$).

³ The coupled-channel analysis of both the $\eta\pi$ and $\eta'\pi$ systems using ADOLPH 15 data.
The width is extracted from the T-matrix pole.

⁴ Superseded by RODAS 19.

⁵ ADOLPH 15 value is derived from a Breit-Wigner fit with mass-dependent width taking the $\eta\pi$ and $\rho\pi$ channels into account.

⁶ Resolution is not unfolded.

⁷ Missing mass with enriched MMS = $\eta\pi^-$, $\eta = 2\gamma$.

$\eta'\pi$ MODE

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
119±25 OUR AVERAGE			
140±35±20	IVANOV 01	B852	$18\pi^- p \rightarrow \eta'\pi^- p$
106±32	BELADIDZE 93	VES	$37\pi^- N \rightarrow \eta'\pi^- N$

 $a_2(1320)$ DECAY MODES

Mode	Fraction (Γ_i/Γ)	Scale factor/ Confidence level
$\Gamma_1 3\pi$	(70.1 ± 2.7) %	S=1.2
$\Gamma_2 \rho(770)\pi$		
$\Gamma_3 f_2(1270)\pi$		
$\Gamma_4 \rho(1450)\pi$		
$\Gamma_5 \eta\pi$	(14.5 ± 1.2) %	
$\Gamma_6 \omega\pi\pi$	(10.6 ± 3.2) %	S=1.3
$\Gamma_7 K\bar{K}$	(4.9 ± 0.8) %	
$\Gamma_8 \eta'(958)\pi$	(5.5 ± 0.9) × 10 ⁻³	
$\Gamma_9 \pi^\pm\gamma$	(2.91 ± 0.27) × 10 ⁻³	
$\Gamma_{10} \gamma\gamma$	(9.4 ± 0.7) × 10 ⁻⁶	
$\Gamma_{11} e^+e^-$	< 5 × 10 ⁻⁹	CL=90%

CONSTRAINED FIT INFORMATION

An overall fit to 5 branching ratios uses 18 measurements and one constraint to determine 4 parameters. The overall fit has a $\chi^2 = 9.3$ for 15 degrees of freedom.

The following *off-diagonal* array elements are the correlation coefficients $\langle \delta x_i \delta x_j \rangle / (\delta x_i \cdot \delta x_j)$, in percent, from the fit to the branching fractions, $x_i \equiv \Gamma_i / \Gamma_{\text{total}}$. The fit constrains the x_i whose labels appear in this array to sum to one.

$$\begin{array}{c|ccc} & & 10 & \\ x_5 & & -89 & -46 \\ x_6 & -89 & & \\ x_7 & -1 & -2 & -24 \\ \hline & x_1 & x_5 & x_6 \end{array}$$

 $a_2(1320)$ PARTIAL WIDTHS

$\Gamma(\eta\pi)$	Γ_5				
VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

18.5±3.0 870 ¹ SCHEGELSKY 06A RVUE 0 $\gamma\gamma \rightarrow K_S^0 K_S^0$

¹ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

$\Gamma(K\bar{K})$

Γ_7

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
7.0 ^{+2.0} _{-1.5}	870	¹ SCHEGELSKY 06A	RVUE 0		$\gamma\gamma \rightarrow K_S^0 K_S^0$

¹ From analysis of L3 data at 91 and 183–209 GeV, using $\Gamma(a_2(1320) \rightarrow \gamma\gamma) = 0.91$ keV and SU(3) relations.

$\Gamma(\pi^\pm\gamma)$

Γ_9

VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
311\pm 25 OUR AVERAGE					
358 \pm 6 \pm 42		¹ ADOLPH 14	COMP	–	$190 \pi^- \text{Pb} \rightarrow \pi^+ \pi^- \pi^- \text{Pb}'$
284 \pm 25 \pm 25	7.1k	MOLCHANOV 01	SELX		$600 \pi^- A \rightarrow \pi^+ \pi^- \pi^- A$
295 \pm 60		CIHANGIR 82	SPEC	+	$200 \pi^+ A$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
461 \pm 110		² MAY 77	SPEC	\pm	$9.7 \gamma A$

¹ Primakoff reaction using $a_2(1320) \rightarrow 3\pi$ branching ratio of 70.1%.

² Assuming one-pion exchange.

$\Gamma(\gamma\gamma)$

Γ_{10}

VALUE (keV)	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
1.00\pm0.06 OUR AVERAGE					
0.98 \pm 0.05 \pm 0.09		ACCIARRI 97T	L3		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
0.96 \pm 0.03 \pm 0.13		ALBRECHT 97B	ARG		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.26 \pm 0.26 \pm 0.18	36	BARU 90	MD1		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.00 \pm 0.07 \pm 0.15	415	BEHREND 90C	CELL 0		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.03 \pm 0.13 \pm 0.21		BUTLER 90	MRK2		$e^+ e^- \rightarrow e^+ e^- \pi^+ \pi^- \pi^0$
1.01 \pm 0.14 \pm 0.22	85	OEST 90	JADE		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$
0.90 \pm 0.27 \pm 0.15	56	¹ ALTHOFF 86	TASS 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
1.14 \pm 0.20 \pm 0.26		² ANTREASYAN 86	CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$
1.06 \pm 0.18 \pm 0.19		BERGER 84C	PLUT 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$					
0.81 \pm 0.19 ^{+0.42} _{-0.11}	35	¹ BEHREND 82C	CELL 0		$e^+ e^- \rightarrow e^+ e^- 3\pi$
0.77 \pm 0.18 \pm 0.27	22	² EDWARDS 82F	CBAL 0		$e^+ e^- \rightarrow e^+ e^- \pi^0 \eta$

¹ From $\rho\pi$ decay mode.

² From $\eta\pi^0$ decay mode.

$\Gamma(e^+e^-)$

Γ_{11}

VALUE (eV)	CL%	DOCUMENT ID	TECN	COMMENT
< 0.56	90	ACHASOV 00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$
$\bullet \bullet \bullet$ We do not use the following data for averages, fits, limits, etc. $\bullet \bullet \bullet$				
<25	90	VOROBYEV 88	ND	$e^+ e^- \rightarrow \pi^0 \eta$

$a_2(1320)$ $\Gamma(i)\Gamma(\gamma\gamma)/\Gamma(\text{total})$ **$\Gamma(3\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$** **$\Gamma_1\Gamma_{10}/\Gamma$**

VALUE (keV)	EVTS	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •				
$0.65 \pm 0.02 \pm 0.02$	18k	¹ SCHEGELSKY 06	RVUE	$\gamma\gamma \rightarrow \pi^+ \pi^- \pi^0$

¹ From analysis of L3 data at 183–209 GeV. **$\Gamma(\eta\pi) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$** **$\Gamma_5\Gamma_{10}/\Gamma$**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.145^{+0.097}_{-0.034}$	¹ UEHARA 09A	BELL	$e^+ e^- \rightarrow e^+ e^- \eta\pi^0$

¹ From the D_2 -wave. The fraction of the D_0 -wave is $3.4^{+2.3\%}_{-1.1\%}$. **$\Gamma(K\bar{K}) \times \Gamma(\gamma\gamma)/\Gamma_{\text{total}}$** **$\Gamma_7\Gamma_{10}/\Gamma$**

VALUE (keV)	DOCUMENT ID	TECN	COMMENT
$0.126 \pm 0.007 \pm 0.028$	¹ ALBRECHT 90G	ARG	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.081 \pm 0.006 \pm 0.027$	² ALBRECHT 90G	ARG	$e^+ e^- \rightarrow e^+ e^- K^+ K^-$

¹ Using an incoherent background.² Using a coherent background. **$a_2(1320)$ BRANCHING RATIOS**

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
<0.12	90	ABRAMOVI...	70B	HBC	$3.93 \pi^- p$

 $\Gamma(\rho(770)\pi)/\Gamma(f_2(1270)\pi)$ **$(\Gamma_3 + \Gamma_4)/\Gamma_2$**

VALUE	EVTS	DOCUMENT ID	TECN	COMMENT
$16.5^{+1.2}_{-2.4}$	46M	¹ AGHASYAN 18B	COMP	$190 \pi^- p \rightarrow \pi^- \pi^+ \pi^- p$

¹ Statistical error negligible. **$\Gamma(\eta\pi)/\Gamma(3\pi)$** **$\Gamma_5/\Gamma_1$**

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.207 ± 0.018 OUR FIT					
0.213 ± 0.020 OUR AVERAGE					
0.18 ± 0.05		FORINO 76	HBC		$11 \pi^- p$
0.22 ± 0.05	52	ANTIPOV 73	CNTR	—	$40 \pi^- p$
0.211 ± 0.044	149	CHALOUPKA 73	HBC	—	$3.9 \pi^- p$
0.246 ± 0.042	167	ALSTON-...	71	HBC	$7.0 \pi^+ p$
0.25 ± 0.09	15	BOECKMANN 70	HBC	+	$5.0 \pi^+ p$
0.23 ± 0.08	22	ASCOLI 68	HBC	—	$5 \pi^- p$
0.12 ± 0.08		CHUNG 68	HBC	—	$3.2 \pi^- p$
0.22 ± 0.09		CONTE 67	HBC	—	$11.0 \pi^- p$


$\Gamma(\omega\pi\pi)/\Gamma(3\pi)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	Γ_6/Γ_1
0.15±0.05 OUR FIT		Error includes scale factor of 1.3.				
0.15±0.05 OUR AVERAGE		Error includes scale factor of 1.3. See the ideogram below.				
0.28±0.09	60	DIAZ	74	DBC	0	$6\pi^+n$
0.18±0.08		¹ KARSHON	74	HBC		Avg. of above two
0.10±0.05	279	² CHALOUPKA	73	HBC	—	$3.9\pi^-p$
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.29±0.08	140	¹ KARSHON	74	HBC	0	$4.9\pi^+p$
0.10±0.04	60	¹ KARSHON	74	HBC	+	$4.9\pi^+p$
0.19±0.08		DEFOIX	73	HBC	0	$0.7\bar{p}p$

¹KARSHON 74 suggest an additional $I = 0$ state strongly coupled to $\omega\pi\pi$ which could explain discrepancies in branching ratios and masses. We use a central value and a systematic spread.

²Decays to $b_1(1040)\pi$, $b_1 \rightarrow \omega\pi$. Error increased to account for possible systematic errors of complicated analysis.

WEIGHTED AVERAGE
0.15±0.05 (Error scaled by 1.3)



$\Gamma(K\bar{K})/\Gamma(3\pi)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT	Γ_7/Γ_1
0.070±0.012 OUR FIT						
0.078±0.017		CHABAUD	78	RVUE		
• • • We do not use the following data for averages, fits, limits, etc. • • •						
0.011±0.003		¹ BERTIN	98B	OBLX	0.0 $\bar{p}p \rightarrow K^\pm K_s\pi^\mp$	
0.056±0.014	50	² CHALOUPKA	73	HBC	—	$3.9\pi^-p$
0.097±0.018	113	² ALSTON-....	71	HBC	+	$7.0\pi^+p$
0.06 ± 0.03		² ABRAMOVI...	70B	HBC	—	$3.93\pi^-p$
0.054±0.022		² CHUNG	68	HBC	—	$3.2\pi^-p$

¹ Using 4π data from BERTIN 97D.

² Included in CHABAUD 78 review.

$\Gamma(K\bar{K})/\Gamma(\eta\pi)$

Γ_7/Γ_5

VALUE	DOCUMENT ID	TECN	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •			
$0.352 \pm 0.011 \pm 0.175$	¹ ALBRECHT 20 RVUE	$0.9 \bar{p}p \rightarrow \pi^0 \pi^0 \eta, \pi^0 \eta \eta, \pi^0 K^+ K^-$	
0.08 ± 0.02	² BERTIN 98B OBLX	$0.0 \bar{p}p \rightarrow K^\pm K_s \pi^\mp$	

¹ Residues from T-matrix pole with 2 poles, 2 channels ($\pi^0 \eta$ and $K\bar{K}$).

² Using $\eta\pi\pi$ data from AMSLER 94D.

$\Gamma(\eta\pi)/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

$\Gamma_5/(\Gamma_1+\Gamma_5+\Gamma_7)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.162 ± 0.012 OUR FIT					
0.140 ± 0.028 OUR AVERAGE					
0.13 ± 0.04		ESPIGAT 72	HBC	±	$0.0 \bar{p}p$
0.15 ± 0.04	34	BARNHAM 71	HBC	+	$3.7 \pi^+ p$

$\Gamma(K\bar{K})/[\Gamma(3\pi) + \Gamma(\eta\pi) + \Gamma(K\bar{K})]$

$\Gamma_7/(\Gamma_1+\Gamma_5+\Gamma_7)$

VALUE	EVTS	DOCUMENT ID	TECN	CHG	COMMENT
0.054 ± 0.009 OUR FIT					
0.048 ± 0.012 OUR AVERAGE					
0.05 ± 0.02		TOET 73	HBC	+	$5 \pi^+ p$
0.09 ± 0.04		TOET 73	HBC	0	$5 \pi^+ p$
0.03 ± 0.02	8	¹ DAMERI 72	HBC	—	$11 \pi^- p$
0.06 ± 0.03	17	BARNHAM 71	HBC	+	$3.7 \pi^+ p$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.020 ± 0.004 ² ESPIGAT 72 HBC ± $0.0 \bar{p}p$

¹ Montanet agrees. Vlada.

² Not averaged because of discrepancy between masses from $K\bar{K}$ and $\rho\pi$ modes.

$\Gamma(\eta'(958)\pi)/\Gamma_{\text{total}}$

Γ_8/Γ

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.006	95	ALDE 92B GAM2			$38,100 \pi^- p \rightarrow \eta' \pi^0 n$
<0.02	97	BARNHAM 71	HBC	+	$3.7 \pi^+ p$
0.004 ± 0.004		¹ BOESEBECK 68	HBC	+	$8 \pi^+ p$

¹ No longer valid since $\Gamma(K\bar{K})/\Gamma(3\pi)$ value has changed (MORRISON 71).

$\Gamma(\eta'(958)\pi)/\Gamma(3\pi)$

Γ_8/Γ_1

VALUE	CL%	DOCUMENT ID	TECN	CHG	COMMENT
• • • We do not use the following data for averages, fits, limits, etc. • • •					
<0.011	90	EISENSTEIN 73	HBC	—	$5 \pi^- p$
<0.04		ALSTON-... 71	HBC	+	$7.0 \pi^+ p$
$0.04 \begin{array}{l} +0.03 \\ -0.04 \end{array}$		BOECKMANN 70	HBC	0	$5.0 \pi^+ p$

$\Gamma(\eta'(958)\pi)/\Gamma(\eta\pi)$

VALUE

0.038±0.005 OUR AVERAGE

0.05 ± 0.02
0.032±0.009
0.047±0.010±0.004
0.034±0.008±0.005

¹ Using $B(\eta' \rightarrow \pi^+ \pi^- \eta) = 0.441$, $B(\eta \rightarrow \gamma\gamma) = 0.389$ and $B(\eta \rightarrow \pi^+ \pi^- \pi^0) = 0.236$.

 Γ_8/Γ_5

	DOCUMENT ID	TECN	COMMENT
ADOLPH	15	COMP	$191 \pi^- p \rightarrow \eta^{(1)} \pi^- p$
ABELE	97C	CBAR	$0.0 \bar{p}p \rightarrow \pi^0 \pi^0 \eta'$
¹ BELADIDZE	93	VES	$37\pi^- N \rightarrow a_2^- N$
BELADIDZE	92	VES	$36\pi^- C \rightarrow a_2^- C$

 $\Gamma(\pi^\pm\gamma)/\Gamma_{\text{total}}$

VALUE

• • • We do not use the following data for averages, fits, limits, etc. • • •

	DOCUMENT ID	TECN	COMMENT
¹ EISENBERG	72	HBC	4.3,5.25,7.5 γp

¹ Pion-exchange model used in this estimation.

 $\Gamma(e^+e^-)/\Gamma_{\text{total}}$ Γ_9/Γ VALUE (units 10^{-9})

CL%

DOCUMENT ID

TECN COMMENT

• • • We do not use the following data for averages, fits, limits, etc. • • •

<6	90	ACHASOV	00K	SND	$e^+ e^- \rightarrow \pi^0 \pi^0$
----	----	---------	-----	-----	-----------------------------------

a₂(1320) REFERENCES

ALBRECHT	20	EPJ C80	453	M. Albrecht <i>et al.</i>	(Crystal Barrel Collab.)
RODAS	19	PRL	122 042002	A. Rodas <i>et al.</i>	(JPAC Collab.)
AGHASYAN	18B	PR D98	092003	M. Aghasyan <i>et al.</i>	(COMPASS Collab.)
JACKURA	18	PL	B779 464	A. Jackura <i>et al.</i>	(JPAC and COMPASS Collab.)
ADOLPH	15	PL	B740 303	M. Adolph <i>et al.</i>	(COMPASS Collab.)
ADOLPH	14	EPJ	A50 79	C. Adolph <i>et al.</i>	(COMPASS Collab.)
ALEKSEEV	10	PRL	104 241803	M.G. Alekseev <i>et al.</i>	(COMPASS Collab.)
ANISOVICH	09	IJMP A24	2481	V.V. Anisovich, A.V. Sarantsev	
UEHARA	09A	PR	D80 032001	S. Uehara <i>et al.</i>	(BELLE Collab.)
SCHEGELSKY	06	EPJ	A27 199	V.A. Schegelsky <i>et al.</i>	
SCHEGELSKY	06A	EPJ	A27 207	V.A. Schegelsky <i>et al.</i>	
CHUNG	02	PR	D65 072001	S.U. Chung <i>et al.</i>	(BNL E852 Collab.)
IVANOV	01	PRL	86 3977	E.I. Ivanov <i>et al.</i>	(BNL E852 Collab.)
MOLCHANOV	01	PL	B521 171	V.V. Molchanov <i>et al.</i>	(FNAL SELEX Collab.)
ACHASOV	00K	PL	B492 8	M.N. Achasov <i>et al.</i>	(Novosibirsk SND Collab.)
BARBERIS	00H	PL	B488 225	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BARBERIS	98B	PL	B422 399	D. Barberis <i>et al.</i>	(WA 102 Collab.)
BERTIN	98B	PL	B434 180	A. Bertin <i>et al.</i>	(OBELIX Collab.)
ABELE	97C	PL	B404 179	A. Abele <i>et al.</i>	(Crystal Barrel Collab.)
ACCIARRI	97T	PL	B413 147	M. Acciari <i>et al.</i>	(L3 Collab.)
ALBRECHT	97B	ZPHY	C74 469	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
THOMPSON	97	PRL	79 1630	D.R. Thompson <i>et al.</i>	(BNL E852 Collab.)
AMELIN	96	ZPHY	C70 71	D.V. Amelin <i>et al.</i>	(SERP, TBIL)
AMSLER	94D	PL	B333 277	C. Amsler <i>et al.</i>	(Crystal Barrel Collab.)
AOYAGI	93	PL	B314 246	H. Aoyagi <i>et al.</i>	(BKEI Collab.)
ARMSTRONG	93C	PL	B307 394	T.A. Armstrong <i>et al.</i>	(FNAL, FERR, GENO+)
BELADIDZE	93	PL	B313 276	G.M. Beladidze <i>et al.</i>	(VES Collab.)
CONDO	93	PR	D48 3045	G.T. Condo <i>et al.</i>	(SLAC Hybrid Collab.)
ALDE	92B	ZPHY	C54 549	D.M. Alde <i>et al.</i>	(SERP, BELG, LANL, LAPP+)
BELADIDZE	92	ZPHY	C54 235	G.M. Beladidze <i>et al.</i>	(VES Collab.)
ALBRECHT	90G	ZPHY	C48 183	H. Albrecht <i>et al.</i>	(ARGUS Collab.)
ARMSTRONG	90	ZPHY	C48 213	T.A. Armstrong, M. Benayoun, W. Beusch	(WA76 Coll.)
BARU	90	ZPHY	C48 581	S.E. Baru <i>et al.</i>	(MD-1 Collab.)
BEHREND	90C	ZPHY	C46 583	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
BUTLER	90	PR	D42 1368	F. Butler <i>et al.</i>	(Mark II Collab.)

OEST	90	ZPHY C47 343	T. Oest <i>et al.</i>	(JADE Collab.)
AUGUSTIN	89	NP B320 1	J.E. Augustin, G. Cosme	(DM2 Collab.)
VOROBIEV	88	SJNP 48 273	P.V. Vorobiev <i>et al.</i>	(NOVO)
		Translated from YAF 48 436.		
ALTHOFF	86	ZPHY C31 537	M. Althoff <i>et al.</i>	(TASSO Collab.)
ANTREASYAN	86	PR D33 1847	D. Antreasyan <i>et al.</i>	(Crystal Ball Collab.)
BERGER	84C	PL 149B 427	C. Berger <i>et al.</i>	(PLUTO Collab.)
BEHREND	82C	PL 114B 378	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
Also		PL 125B 518 (erratum)	H.J. Behrend <i>et al.</i>	(CELLO Collab.)
CIHANGIR	82	PL 117B 123	S. Cihangir <i>et al.</i>	(FNAL, MINN, ROCH)
CLELAND	82B	NP B208 228	W.E. Cleland <i>et al.</i>	(DURH, GEVA, LAUS+)
EDWARDS	82F	PL 110B 82	C. Edwards <i>et al.</i>	(CIT, HARV, PRIN+)
DELFOSSÉ	81	NP B183 349	A. Delfosse <i>et al.</i>	(GEVA, LAUS)
EVANGELIS...	81	NP B178 197	C. Evangelista <i>et al.</i>	(BARI, BÖNN, CERN+)
CHABAUD	80	NP B175 189	V. Chabaud <i>et al.</i>	(CERN, MPIM, AMST)
DAUM	80C	PL 89B 276	C. Daum <i>et al.</i>	(AMST, CERN, CRAC, MPIM+) JP
BALTAY	78B	PR D17 62	C. Baltay <i>et al.</i>	(COLU, BING)
CHABAUD	78	NP B145 349	V. Chabaud <i>et al.</i>	(CERN, MPIM)
FERRERSORIA	78	PL 74B 287	A. Ferrer Soria <i>et al.</i>	(ORSAY, CERN, CDEF+)
HYAMS	78	NP B146 303	B.D. Hyams <i>et al.</i>	(CERN, MPIM, ATEN)
MARTIN	78D	PL 74B 417	A.D. Martin <i>et al.</i>	(DURH, GEVA) JP
MAY	77	PR D16 1983	E.N. May <i>et al.</i>	(ROCH, CORN)
FORINO	76	NC 35A 465	A. Forino <i>et al.</i>	(BGNA, FIRZ, GENO, MILA+)
MARGULIE	76	PR D14 667	M. Margulies <i>et al.</i>	(BNL, CUNY)
EMMS	75	PL 58B 117	M.J. Emms <i>et al.</i>	(BIRM, DURH, RHEL) JP
WAGNER	75	PL 58B 201	F. Wagner, M. Tabak, D.M. Chew	(LBL) JP
DIAZ	74	PRL 32 260	J. Diaz <i>et al.</i>	(CASE, CMU)
KARSHON	74	PRL 32 852	U. Karshon <i>et al.</i>	(REHO)
ANTIPOV	73	NP B63 175	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
ANTIPOV	73C	NP B63 153	Y.M. Antipov <i>et al.</i>	(CERN, SERP) JP
CHALOUPKA	73	PL 44B 211	V. Chaloupka <i>et al.</i>	(CERN)
CONFORTO	73	PL 45B 154	G. Conforto <i>et al.</i>	(EFI, FNAL, TNTO+)
DEFOIX	73	PL 43B 141	C. Deffoux <i>et al.</i>	(CDEF)
EISENSTEIN	73	PR D7 278	L. Eisenstein <i>et al.</i>	(ILL)
KEY	73	PRL 30 503	A.W. Key <i>et al.</i>	(TNTO, EFI, FNAL, WISC)
TOET	73	NP B63 248	D.Z. Toet <i>et al.</i>	(NIJM, BONN, DURH, TORI)
DAMERI	72	NC 9A 1	M. Dameri <i>et al.</i>	(GENO, MILA, SACL)
EISENBERG	72	PR D5 15	Y. Eisenberg <i>et al.</i>	(REHO, SLAC, TELA)
ESPIGAT	72	NP B36 93	P. Espigat <i>et al.</i>	(CERN, CDEF)
FOLEY	72	PR D6 747	K.J. Foley <i>et al.</i>	(BNL, CUNY)
ALSTON-...	71	PL 34B 156	M. Alston-Garnjost <i>et al.</i>	(LRL)
BARNHAM	71	PRL 26 1494	K.W.J. Barnham <i>et al.</i>	(LBL)
BINNIE	71	PL 36B 257	D.M. Binnie <i>et al.</i>	(LOIC, SHMP)
BOWEN	71	PRL 26 1663	D.R. Bowen <i>et al.</i>	(NEAS, STON)
GRAYER	71	PL 34B 333	G. Grayer <i>et al.</i>	(CERN, MPIM)
ABRAMOVICH	70B	NP B23 466	M. Abramovich <i>et al.</i>	(CERN) JP
ALSTON-...	70	PL 33B 607	M. Alston-Garnjost <i>et al.</i>	(LRL)
BOECKMANN	70	NP B16 221	K. Boeckmann <i>et al.</i>	(BONN, DURH, NIJM+)
ASCOLI	68	PRL 20 1321	G. Ascoli <i>et al.</i>	(ILL) JP
BOESEBECK	68	NP B4 501	K. Boesebeck <i>et al.</i>	(AACH, BERL, CERN)
CHUNG	68	PR 165 1491	S.U. Chung <i>et al.</i>	(LRL)
CONTE	67	NC 51A 175	F. Conte <i>et al.</i>	(GENO, HAMB, MILA, SACL)